
REPLACEMENT

HINT:

COMPONENTS: See page 41-5 or 71-7


- **REMOVE KNOB SUB-ASSY, SHIFT LEVER** 1.
- 2. REMOVE INSTRUMENT CLUSTER FINISH PANEL ASSY CTR (See page 71–10)
- 3. REMOVE INSTRUMENT PANEL BOX (See page 71–10)
- 4. **REMOVE INSTRUMENT PANEL FINISH PANEL LOWER CENTER (See page 71–10)**




- 5. DISCONNECT FLOOR SHIFT CABLE TRANSMISSION **CONTROL SHIFT**
- Remove the clip and washer and disconnect the cable (a) end of the shift cable from the shift lever assy.

- C95907
- (b) Turn the lock and disconnect the shift cable from the shift lever assy.

D26473



- **DISCONNECT FLOOR SHIFT CABLE TRANSMISSION** 6. **CONTROL SELECT**
- Remove the clip and disconnect the cable end of the se-(a) lect cable from the shift lever assy.




Turn the lock and disconnect the select cable from the (b) shift lever assy.


2003 COROLLA MATRIX (RM940U)

4107T-01

7.



REMOVE FLOOR SHIFT SHIFT LEVER ASSY (a) Remove the 4 nuts and shift lever assy.



Spring C95905




INSTALL FLOOR SHIFT SHIFT LEVER ASSY Install the shift lever assy with the 4 nuts. Torque: 12 N·m (120 kgf·cm, 9 ft·lbf)

9. CONNECT FLOOR SHIFT CABLE TRANSMISSION **CONTROL SHIFT**

Connect the shift cable with the clip to the shift lever assy. (a) NOTICE:

- The projecting part of the cable outer should face upward when the shift cable is installed.
- Make sure that after installation the cable outer spring is moved to the place shown in the illustration.
- Connect the shift cable end as shown in the illustration. (b) Install the washer and clip. (c)




- 10. CONNECT FLOOR SHIFT CABLE TRANSMISSION
- **CONTROL SELECT** Connect the select cable with the clip to the shift lever (a) assy.

NOTICE:

- The projecting part of the cable outer should face upward when the shift cable is installed.
- Make sure that after installation the cable outer spring is moved to the place shown in the illustration.

Spring C95906

2003 COROLLA MATRIX (RM940U)



(b) Connect the select cable end with the clip.