


INSPECTION



1. INSPECT OUTER MIRROR SWITCH ASSY

- (a) Left side for left/right adjustment switch:
Inspect the mirror switch continuity.

Standard (Left side):

Terminal No.	Switch position	Specified condition
–	OFF	No continuity
4 ↔ 8 6 ↔ 7	UP	Continuity
4 ↔ 7 6 ↔ 8	DOWN	Continuity
5 ↔ 8 6 ↔ 7	LEFT	Continuity
5 ↔ 7 6 ↔ 8	RIGHT	Continuity


If the result is not as specified, replace the switch assembly.

- (b) Right side for left/right adjustment switch:
Inspect the mirror switch continuity.

Standard (Right side):

Terminal No.	Switch position	Specified condition
–	OFF	No continuity
3 ↔ 8 6 ↔ 7	UP	Continuity
3 ↔ 7 6 ↔ 8	DOWN	Continuity
2 ↔ 8 6 ↔ 7	LEFT	Continuity
2 ↔ 7 6 ↔ 8	RIGHT	Continuity

If the result is not as specified, replace the switch assembly.




2. INSPECT OUTER REAR VIEW MIRROR ASSY LH

- Disconnect the outer rear view mirror assembly LH connector.
- Apply battery voltage and inspect the mirror motor face operation, as shown in the table and illustration.

Standard (LH):

Battery connection	Mirror position
Positive (+) \leftrightarrow MV (3) Negative (-) \leftrightarrow Com (2)	Turn upward (A)
Positive (+) \leftrightarrow Com (2) Negative (-) \leftrightarrow MV (3)	Turn downward (B)
Positive (+) \leftrightarrow Com (2) Negative (-) \leftrightarrow MH (1)	Turn left (C)
Positive (+) \leftrightarrow MH (1) Negative (-) \leftrightarrow Com (2)	Turn right (D)

If the result is not as specified, replace the mirror assembly.



3. INSPECT OUTER REAR VIEW MIRROR ASSY RH

- Disconnect the outer rear view mirror assembly RH connector.
- Apply battery voltage and inspect the mirror motor face operation, as shown in the table and illustration.

Standard (RH):

Battery connection	Mirror position
Positive (+) \leftrightarrow MV (3) Negative (-) \leftrightarrow Com (2)	Turn upward (A)
Positive (+) \leftrightarrow Com (2) Negative (-) \leftrightarrow MV (5)	Turn downward (B)
Positive (+) \leftrightarrow Com (2) Negative (-) \leftrightarrow MH (1)	Turn right (D)
Positive (+) \leftrightarrow MH (1) Negative (-) \leftrightarrow Com (2)	Turn left (C)

If the result is not as specified, replace the mirror assembly.